

CYGNET SERIOUSLY CHUNKY CY1411 DOGS SLIP ON HARNESS

You Will need -

6mm crochet hook

2 x metal D rings per harness. These must be compatible for the clip on your dog lead.

100g ball of seriously chunky - 2 for small and medium, 3, for large

Pattern Notes -

UK terminology used.

The chain 1 does not count as a stitch, always work into the 1st stitch of the row.

Take your dog's chest and neck measurements and use them to figure out which harness size would be best for your dog.

Approx. finished sizes -

Medium - neck 54 cm, chest 62 cm


Large - neck 68 cm, chest 76 cm

Extra Large - neck 76 cm, chest 84 cm

Abbreviations -

dc – double crochetdc2tog – double crochet 2togetherch(s) - chain(s)

chsp- chain space t - turn your work. nxt – next rept - repeat sk - skip sp(s) - space(s) slst - slip stitch fo - fasten off



Neck strap -

Sizes - X Large(large)(med)

Ch 61(51)(41)

Row 1 - dc into 2nd ch, dc into each ch across

60(50)(40)

Row 2 - ch 1, t, dc across

Row 3 - ch 1, t, dc 59(49)(39), into last st work dc + ch 1 + dc, dc into end st of row 2, on cor st, dc + ch 1 + dc, on the other side dc 58(48)(38), into last st dc + ch 1 + dc, dc into end st of row 2, dc and ch 1 into the 1st st, slst into 1st dc, fo.

Chest strap -

Ch 67(57)(47)

Row 1 - dc into 2nd ch, dc into each ch across

66(65)(46)

Row 2 - ch 1, t, dc across

Row 3 - ch 1, t, dc 65(55)(45), into last st work dc + ch 1 + dc, dc into end st of row 2, on cor st, dc + ch 1 + dc, on other side dc 64(54)(44), into last st dc + ch 1 + dc, dc into end st of row 2, dc and ch 1 into the 1st st, slst to 1st dc, do not fo, ch 1, t

Joining Straps - All sizes

Line up the short ends of the strap with the wrong side facing you.

Row 1 - dc 4 across this strap, and 4 across the next

(8)

Row 2 - ch 1, t, dc across

Row 3 - ch 1, t, dc2tog, dc 4, dc2tog

(6)

Row 4 - ch 1, t, dc across

Row 5 - ch 1, t, dc2tog, sc 2, dc2tog

(4)

Row 6 - ch 1, t, dc across

Fo and rept for other side

Outer trim -

Row 7 - do not fo, ch 1, t, dc down the outer left edge, dc into 4 end sts, dc down outer edge, dc into 4 end sts, slst to 1st dc

Chest section -

Lay harness flat on the inner edge of the neck strap count 22(18)(14) sts in from either side and place markers, you will be working these 16(14)(12) sts that you have sectioned off.

Fold harness in half to make sure your section is centred. If not adjust your markers so that your sts will be in the middle.

With right side facing attach yarn into one of the marked sts.

Row 1 - ch 1, dc 16(14)(12)

Rows 2 to 14(12)(10), or until you get a comfortable length - ch 1, t, dc across

Fo leaving a tail for joining.

Lay harness flat again, pm where you will join this section to the chest stap.

Use your tail to whip st the sections together.

Inner trim -

Attach yarn at the inner corner where the straps where joined, ch 1, dc all the way around the inside edge, slst to 1st dc, fo and rept for other side.

Whip st the rings on the either end, weave in all ends.



Cygnet Yarns Limited

12-14 Adelaide Street, Bradford, West Yorkshire, BD5 0EA